




SCARICHI VASCA
POP-UP BATH WASTE



SISTEMI DOCCIA
SHOWER SYSTEMS

NUOVI PRODOTTI
NEW PRODUCTS

2018-2019






DOCGETTA HAND SHOWER


01/1G

Doccetta anticalcare in ABS cromato 1 getto
Chromed ABS hand shower easy-clean 1 jet




01/3G

Doccetta anticalcare in ABS cromato 3 getti
Chromed ABS hand shower easy-clean 3 jets



01/K


Doccetta design anticalcare in ABS cromato 1 getto
Design chromed ABS hand shower easy-clean 1 jet



SCARICHI A PAVIMENTO FLOOR DRAINS


P875

Piletta a pavimento con sifone fisso
uscita \varnothing 40-50 mm, griglia in acciaio inox
Floor waste with fixed siphon outlet
 \varnothing 40-50 mm, stainless steel grid




PZ-01

Scarico a pavimento con sifone,
uscita orizzontale \varnothing 50 mm - Griglia inox,
completo di telo isolante 250x250 mm
Floor waste with si phon, horizontal outlet
 \varnothing 50 mm - Stainless steel grid, complete
with hidro-insulation sheet 250x250 mm



PZ-03P

Scarico a pavimento con sifone,
uscita orizzontale \varnothing 50 mm - Piastrellabile,
completo di telo isolante 250x250 mm
Floor waste with si phon, horizontal outlet
 \varnothing 50 mm - Tileable, complete with
hidro-insulation sheet 250x250 mm



PILETTE RIBASSATE EXTRA-LOW SIPHONS

836/SA


Piletta ribassata 1"1/2 con sifone estraibile
per piatto doccia con foro \varnothing 90 mm

Flangia liscia e senza cover

Extra-low waste 1"1/2 with extractable siphon

For shower tray with outlet hole \varnothing 90 mm

Flat flange without cover



836/SACP


Piletta ribassata 1"1/2 con sifone estraibile
per piatto doccia con foro \varnothing 90 mm

con cover in ABS

Extra-low waste 1"1/2 with extractable siphon

For shower tray with outlet hole \varnothing 90 mm

with ABS cover



826/SACP


Piletta ribassata 1"1/2 con sifone estraibile
per piatto doccia con foro \varnothing 60 mm

con cover in ABS

Extra-low waste 1"1/2 with extractable siphon

For shower tray with outlet hole \varnothing 60 mm


with ABS cover



PRESA ACQUA WATER CONNECTION


012/T

Pres a acqua rotonda per flessibile,
 attacchi 1/2" M x 1/2" M
 con supporto doccia
 Round water connection for flexible hose,
 connections 1/2" M x 1/2" M
 with hook for hand shower




012/Q

Pres a acqua quadrata per flessibile,
 attacchi 1/2" M x 1/2" M
 con supporto doccia
 Square water connection for flexible hose,
 connections 1/2" M x 1/2" M
 with hook for hand shower




01/F

Tubo flessibile in ottone a doppia aggraffatura
 1500 mm **con passaggio acqua maggiorato**
 Brass flexible hose double seam 1500 mm
with increased water flow




01/ECO

Tubo flessibile standard in ottone a doppia
 aggraffatura 1500 mm
 Standard brass flexible hose double
 seam 1500 mm



01/PVC


Tubo flessibile in PVC liscio con raccordo
 girevole
 Smooth PVC flexible hose with rotatable
 connection



PRESA ACQUA WATER CONNECTION


014/T

Pres a acqua rotonda per flessibile,
Mod. "EASY",
attacchi 1/2" M x 1/2" M
Round water connection for flexible hose,
Mod. "EASY",
connections 1/2" M x 1/2" M




014/Q

Pres a acqua quadrata per flessibile,
Mod. "EASY",
attacchi 1/2" M x 1/2" M
Square water connection for flexible hose,
Mod. "EASY",
connections 1/2" M x 1/2" M




014/S

Pres a acqua standard per flessibile,
Mod. "EASY",
attacchi 1/2" M x 1/2" M
Standard water connection for flexible hose,
Mod. "EASY",
connections 1/2" M x 1/2" M





02/U

Supporto snodato in ottone per doccia
Articulated brass support for hand shower




SERIE WELLNESS - A SOFFITTO WELLNESS SERIE - AT CEILING

Soffione a soffitto in acciaio inox
con telaio esterno H = 50 mm
Shower head at ceiling
with external frame H = 50 mm




EX50-11Q

Pioggia
Rain




EX50-13Q

Pioggia/Nebulizzato/Cascata
Rain/Spray/Cascade





SERIE WELLNESS - A SOFFITTO WELLNESS SERIE - AT CEILING

Soffione a soffitto in acciaio
con telaio esterno H = 50
Shower head at c
with external frame H = 50




EX70-11RT

Pioggia
Rain



EX70-13RT

Pioggia/Nebulizzato/Cascata
Rain/Spray/Cascade



SERIE WELLNESS - STONDATO - A PARETE WELLNESS SERIE - ROUNDED - WALL MOUNTED



V11M

LUCIDO o SATINATO

Soffione a parete serie WELLNESS,
in acciaio inox, stonato, 1 getto solo pioggia

GLOSSY or BRUSHED

Wall mounted rounded shower head
WELLNESS serie in stainless steel,
1 jet rain





V12M

LUCIDO o SATINATO

Soffione a parete serie WELLNESS,
in acciaio inox, stonato,
2 getti pioggia/cascata

GLOSSY or BRUSHED

Wall mounted rounded shower head
WELLNESS serie in stainless steel,
2 jets rain/cascade





PANNELLO DOCCIA PER RISTRUTTURAZIONE SHOWER PANEL FOR RESTRUCTURATION

CLD-ME

LUCIDO o SATINATO

Pannello doccia in acciaio inox con spessore pannello 30 mm, deviatore a due vie con miscelatore monocomando, soffione extra piatto solo pioggia, flessibile PVC Argento e presa acqua con supporto per doccetta

GLOSSY or BRUSHED

Shower panel in stainless steel with panel 30 mm thickness, two ways diverter with single-lever mixer, extra-fine shower head only rain, flexible hose in Silver PVC and water connection with support for hand shower



CLD-TM

LUCIDO o SATINATO

Pannello doccia in acciaio inox con spessore pannello 30 mm, deviatore a due vie **con miscelatore termostatico**, soffione extra piatto solo pioggia, flessibile PVC Argento e presa acqua con supporto per doccetta

GLOSSY or BRUSHED

Shower panel in stainless steel with panel 30 mm thickness, two ways diverter **with thermostatic mixer**, extra-fine shower head only rain, flexible hose in Silver PVC and water connection with support for hand shower



INFORMAZIONI TECNICHE

Le dimensioni esterne, **lo spessore contenuto di 30 mm** e la facilità di montaggio con sistema "easy-locking" ne fanno un prodotto **ideale anche per le ristrutturazioni**

- Pannello doccia e soffione in acciaio AISI 304
- Rubinetteria completamente in ottone
- Ugelli anticalcare in silicone liquido

TECHNICAL DETAILS

External dimensions, **reduced thickness 30 mm** and the easy installation with "easy-locking" system make this product the **perfect solution also for all restructuring works**

- Shower panel and shower head in AISI 304 stainless steel
- All taps totally in brass
- Antilimestone nozzles in liquid silicon

PANNELLO DOCCIA A INCASSO CON TELAIO 30 mm - ELEGANT SHOWER PANEL WITH BUILT-IN 30 mm FRAME - ELEGANT

EL-ME

LUCIDO o SATINATO

Pannello doccia Mod. ELEGANT in acciaio inox con telaio a incasso da 30 mm di spessore, deviatore a tre vie con miscelatore monocomando, soffione solo pioggia, due getti frontali, flessibile PVC Argento e presa acqua con supporto per doccetta

GLOSSY or BRUSHED

Shower panel Mod. ELEGANT in stainless steel with built-in frame in 30 mm thickness, three ways diverter with single-lever mixer, extra-fine shower head only rain, two frontal body jets, flexible hose in Silver PVC and water connection with support for hand shower




EL-TM

LUCIDO o SATINATO

Pannello doccia Mod. ELEGANT in acciaio inox con telaio a incasso da 30 mm, deviatore a tre vie **con miscelatore termostatico**, soffione solo pioggia, due body jet frontali, flessibile PVC Argento e presa acqua con supporto per doccetta

GLOSSY or BRUSHED

Shower panel Mod. ELEGANT in stainless steel with built-in frame in 30 mm thickness, three ways diverter **with thermostatic mixer**, extra-fine shower head only rain, two frontal body jets, flexible hose in Silver PVC and water connection with support for hand shower



INFORMAZIONI TECNICHE

Le dimensioni esterne, **lo spessore contenuto di 30 mm del telaio ad incasso** e la facilità di montaggio ne fanno un prodotto **ideale anche per le ristrutturazioni**

- Pannello doccia con getti frontali e soffione in acciaio AISI 304
- Rubinetteria completamente in ottone
- Ugelli anticalcare in silicone liquido

TECHNICAL DETAILS

External dimensions, **reduced thickness 30 mm of built-in frame** and the easy installation make this product the **perfect solution also for all restructuring works**

- Shower panel and shower head in AISI 304 stainless steel
- All taps totally in brass
- Antilimestone nozzles in liquid silicon



SERIE WELLNESS - HARMONY WELLNESS SERIE - HARMONY

V81M


LUCIDO o SATINATO

Soffione di design a parete in acciaio inox,

Mod. HARMONY - Tondo

GLOSSY or BRUSHED

Wall mounted design shower head in stainless steel, Mod HARMONY - Round



V82M


LUCIDO o SATINATO

Soffione di design a parete in acciaio inox,

Mod. HARMONY - Quadrato

GLOSSY or BRUSHED

Wall mounted design shower head in stainless steel, Mod HARMONY - Square





BOCCA - SECRET SPOUT - SECRET

CS11M


LUCIDO o SATINATO

Bocca incasso a parete in acciaio inox,

Mod. SECRET con placca tonda

GLOSSY or BRUSHED

Built-in wall mounted spout in stainless steel, Mod. SECRET with round rosette



CS12M


LUCIDO o SATINATO

Bocca incasso a parete in acciaio inox,

Mod. SECRET con placca quadra

GLOSSY or BRUSHED

Built-in wall mounted spout in stainless steel, Mod. SECRET with square rosette





BOCCA - CLASSIC SPOUT - CLASSIC

BE11M

LUCIDO o SATINATO


Bocca a parete in acciaio inox,

Mod. CLASSIC extra piatta

GLOSSY or BRUSHED

Wall mounted spout in stainless steel,

Mod. CLASSIC extra-fine



BE12M

LUCIDO o SATINATO


Bocca a parete in acciaio inox,

Mod. CLASSIC

GLOSSY or BRUSHED

Wall mounted spout in stainless steel,

Mod. CLASSIC





BOCCA - TOP CLASS SPOUT - TOP CLASS

BE13V

LUCIDO o SATINATO


Bocca a bordo vasca in acciaio inox,

Mod. TOP CLASS

GLOSSY or BRUSHED

Deck mounted bath spout in stainless steel,

Mod TOP CLASS



RUBINETTI REGOLAZIONE ADJUSTABLE TAPS

RBF-1238

Rubinetto regolazione sottolavabo 1/2" x 3/8"
con filtro e rosone
Underlavatory tap 1/2" x 3/8"
with filter and rosette



RBF-1212-SN

Rubinetto regolazione sottolavabo 1/2" x 1/2"
con filtro, snodo, calotta e rosone
Underlavatory tap 1/2" x 1/2" with filter, joint,
nut and rosette



V1238-ST

Rubinetto arresto sottolavabo STANDARD
1/2" M x 3/8" M con rosone
STANDARD angle valve 1/2" M x 3/8" M
with rosette



V1212-ST

Rubinetto arresto sottolavabo STANDARD
1/2" M x 1/2" M con rosone
STANDARD angle valve 1/2" M x 1/2" M
with rosette




RB-WC-AL

Rubinetto regolazione per cassetta WC alta,
completo di tubo ø 10 mm x 100 mm,
prolunga in tubo ottone 10 mm x 150 mm
con raccordo 3/8" saldato, rosone e nipplo da 1/2"
Adjustable tap for high-mounted cistern, complete
with pipe ø 10 mm x 100 mm, welded fitting 3/8",
nipple 1/2" and washer in brass




SIFONI 1" 1/4 PER LAVABO DRAIN TRAPS 1" 1/4 FOR BASIN WASH

890/LOT
Sifone a colonna 1"1/4
Column trap 1"1/4



890/LM
Sifone minimalista ribassato 1"1/4
Minimalist flat trap 1"1/4







VICARIO[®]
PIER CARLO
SCARICHI VASCA

VICARIO S.r.l.

Via Stretta 5 - 28021 Borgomanero (NO) - Italy
Tel. +39 0322 81887 - Fax +39 0322 843287
www.vicariopiercarlo.it - info@vicariopiercarlo.it

